



Pile of Bones

Published by the Regina Chapter of ASHRAE

President's Message

By Dan Brothers

Greetings everyone, I hope you enjoyed the stadium tour last month. It was really neat to walk around in there and take it all in. What a massive building. The field is much further below grade than I would have expected, too; those players will be tiny!

We've got another very interesting meeting this month. Chris Mathis, from Mathis Consulting Company in North Carolina, will be here to talk about ASHRAE Standard 90.1. Chris is a Distinguished Lecturer with ASHRAE and is one of only two Lecturers who present on ASHRAE 90.1. As you all know, 90.1 is the energy standard for building design. It's a very important publication from ASHRAE and an essential reference for every office. The meeting this month is on Tuesday the 13th. During the day, Mr. Mathis will be presenting a seminar on 90.1 at the Double Tree on Broad Street. The seminar starts at 9 and goes until 3:00. Then the ASHRAE meeting will start at the usual 5:00. Chris will be speaking at the meeting to sum up the seminar. Anyone who comes to the seminar will receive a free copy of the latest (2013) 90.1 Standard. Sign up through Jared, lots of seats available to learn valuable information!

Your office should be hearing from Janel in the next few weeks. She is on Research Promotion duty this year, and will be knocking on doors and calling you at home as you sit down to dinner asking for a donation. We appreciate any and all donations made to ASHRAE Research, as that is what ASHRAE runs on. Without it, all the essential publications we rely on to do our jobs would not exist; we'd be guessing at boiler sizes, and chillers would be selected at random.

Meeting Notice

Tuesday, October 13, 2015

Double Tree by Hilton Hotel & Conference Centre

1975 Broad Street
Regina, SK

Cocktails begin at 5:00PM

Speaker: Chris Mathis
-ASHRAE 90.1

Upcoming Events

November 10, 2015

*Dan O'Brien-
Halton Kitchen Equipment*

December 2015

Christmas Social

January 13, 2016

*Centralized Hot Water
Heating Plants*

In this Issue

Presidential Address	1
Student Activities	3
Tech Talk	4
Meeting and Events	6
Chapter Board of Governors	7
Regional Executive	8
Society Executive	9

President's Message - Continued

You might also be hearing from Natasha sometime this fall as well. She is heading up the YEA Chair, and is taking stock of who is under 35 at each office. She is planning some events targeted to you and they are bound to be worth attending. Keep an eye out for her.

Last week, Brandon and I attend a welcoming event for engineering students in years 1 – 4. Brandon did all the work, and I joined him to get the free food and beverages. We had a table set up with pamphlets and a tablet showing a slideshow of various construction projects. Many of the students had never heard of ASHRAE, and were quite interested to learn more. We collected contact info from probably 15 students or so (way more than Jared last year), and we will probably see a couple of them filtering through our meetings sometime this year. It's good to plant seeds for the next generation of research donors!

That's it for me, I'll see you at the seminar on Tuesday.



"I don't know which one of you keeps turning up the air conditioning, but you'd better stop!"

Committee Chair Reports

Student Activities Message

By Brandon Ganne

First, I would like to thank those that voted me in as the new Student Activities Chair. I'm hoping that this year we can promote the ASHRAE brand beyond the typical engineering courses. Industrial, Petroleum, and Environmental Systems Engineering students should feel welcome to our monthly meetings to not only broaden their engineering knowledge, but also utilize a terrific opportunity to network with industry professionals. Plus a free meal can't be all that bad! I'd also like to reach out to student involved in architecture, trades, and any other fields of engineering to make them aware of what ASHRAE is and what ASHRAE can do for them as students and as industry professionals. I feel that this year is a great opportunity to expand their minds and expand the ASHRAE brand beyond its mechanical foundation.

Speaking of students, what an exciting time this is right now! School is under way, Thanksgiving is around the corner and student activities are starting to hit full stride! We had a very successful outing at the RESS (Regina Engineering Students Society) reception at the University of Regina. ASHRAE Regina president Dan Brothers and I were able to get a healthy amount of students contact information to share the good word about what ASHRAE is. We brought to their attention the opportunities available to them with scholarships and grants, and the opportunity to win a chance to attend the annual winter conference. Please help me in taking an opportunity to welcome the new prospects that attend the meeting and show them the wonderful perks of being an ASHRAE member. Let's promote student memberships and expand the ASHRAE brand this year!

TECH TIPS

Changes in Product Selections to Meet ASHRAE 90.1 Standards

By Jerry Sipes, PH.D., P.E.

ASHRAE Standard 90.1, Energy Standard for Buildings Except Low-Rise Residential Buildings, is a document that is in a state of continuous maintenance. That means changes to the standard are ongoing, and addendum are submitted for public review and approval on a frequent basis. Since the 2004 version, there have been three additional printed/complete versions (2007, 2010, and 2013) where all the addendum that have gone through the public review process and have been approved are added to the prior release.

For example, between the 2007 version and the 2010 version there were over 100 approved addenda, 52 of which affect mechanical systems. A previous Price Tech Tip discussed the individual state implementation of the various versions of ASHRAE 90.1. This article will provide some guidance as to changes in selection of Price products to meet the requirements of ASHRAE 90.1-2010. A separate white paper detailing all the addendum/changes, ASHRAE 90.1 Changing from 2007 Version to 2010 Version, is available on the Price website.

CHANGES IN EQUIPMENT EFFICIENCY REQUIREMENTS

Air Volume Regulation

There is a requirement for all fan coil and air handling equipment with motors ≥ 5 HP to have either two-speed motors or variable-speed drives. At cooling demands of 50% or less than design, the air volume will be reduced to either half of the full fan speed or the air volume that will meet the ventilation requirements of ASHRAE 62.1. This primarily impacts our blower coils due to the motor size, however, the ability to vary the fan air volume is available on all of our fan products

that use the electrically commutated motor (ECM) technology.

Discharge air temperature sensors may be required. This is due to the potential for high discharge air temperatures when providing reheat, as the air volume has been reduced. When electric reheat is selected, the first stage of heat should be sized by:

$$kW = (\text{minimum airflow volume}) / 70$$

Sizing electric reheat using the above formula will prevent hot spots from forming which can then cause the thermal limits to trip.

A common mistake made by new design engineers when selecting a two-stage electric heater is to divide the total kW by two. Since the reheat should start when the air volume is at the minimum cooling airflow, airflow volume should be divided by 70 to select the first stage of electric reheat. If more than two stages of reheat are used, then the other stages should be selected based on the volume of supply air at the point of engaging the heater stage contactor. It may be that a simple analysis will show that our solid state electric heater control with discharge air temperature is a more economical selection and is very specifiable.

Motors and Transformers

Our motors and transformers meet the federal requirements outlined in the 2010 and 2013 versions of ASHRAE 90.1.

CHANGES IN SYSTEM CONTROL AND DESIGN REQUIREMENTS

Outside Air

Demand Control Ventilation

The 2010 version of ASHRAE 90.1 calls for zones

with more than 40 occupants per 1,000 square feet to design using demand control ventilation. Our terminal controls have CO₂ sensors as an option, which would allow the local zone level sensing for demand control ventilation. One consideration is the minimum airflow when the zone is unoccupied but still requiring the base ventilation of outside air per square foot. The minimum volume of air may be lower than some terminal flow sensors can resolve. Our Price Intelligent Controller has a low-flow option that works very well for this scenario.

Airside

Overhead Heating with Supply Air

Where reheating is permitted by 90.1, zones that have both the supply and return air openings greater than six feet above the floor shall not supply heating air more than 20°F above the space temperature set point. Price terminals with reheat can use our discharge air temperature control technology to meet this requirement.

Dual Maximum Control on VAV Boxes

Addendum H was geared towards zones using direct digital controls. It is intended to take advantage of the energy-saving potential that direct digital controls offer when controlling the air volume and reheat. It establishes the heating maximum airflow volume to no more than 50% of the cooling airflow volume when it is modulated from the 20% minimum. See **Figure 1**.

This addendum allows the reheat airflow to increase from 20% to 50% when the reheat starts at the low end of the thermostat dead band. Most designers have been using a turndown of 30% before reheat would be started. This is somewhat concerning due to the potential

Tech Talk - Continued

for electric reheat to trip on the thermals or to provide air temperatures in excess of 20°F above the space temperature set point. The discharge air temperature control on our terminals with electric heat avoid this issue as the discharge air temperature is regulated to be no more than a specified amount.

VAV Control on Lab Exhaust

Hospitals and laboratories are now no longer exempt from the VAV requirement for spaces that don't require pressure control. Price has many different terminal and controls solutions that meet these needs. In particular, the Price Venturi Valves with Price Critical Controls should be considered.

Duct Leakage

For ductwork, the duct leakage is now required to be seal class A.

Seal Class A: A ductwork sealing category that requires sealing all transverse joints, longitudinal seams, and duct wall penetrations. Duct wall penetrations are openings made by pipes, holes, conduit, tie rods, or wires. Longitudinal seams are joints oriented in the direction of airflow. Transverse joints are connections of two duct sections oriented perpendicular to airflow.

- Openings for rotating shafts shall be sealed with bushings or other devices that seal off air leakage (standard on our terminal units).
- Pressure sensitive tape shall not be used as the primary sealant unless it is certified to comply with UL-181A or UL-181B and the tape is used in accordance with that certification (we comply as we don't use pressure sensitive tape).
- All connections shall be sealed. When terminals are ordered with the LLC option, we provide low-leakage construction and seal all appropriate leakage sites. For more information on this option, please see our leakage terminal options on page F-58 of the Price Catalog version 7.




Figure 1: Dual maximum control for zone

Waterside

Radiant Panels

Radiant panels transfer heat (cooling or heating) via radiation from the room-side face of the panel. The back side of the panel may be exposed to spaces that may be unconditioned. A study showed that increasing the insulation thickness beyond the R-3.5 (from 1 in. to 4 in. thickness) had a minimal impact on the life-cycle cost of the application. As a result, radiant panels now require the non-occupied room side of the panel to be insulated with a minimum of R-3.5. This is a standard option of the Price radiant panels.

For more information on the changes between the 2007 and 2010 versions of ASHRAE 90.1, see the standards page on www.ashrae.org. For assistance in selecting Price products, please contact our application engineering group.

2015-2016 Meetings and Events

September 23, 2015

Tour of RRI Roughrider Stadium

Speaker: Chad Arcand

Bushwakker Brewpub

October 13, 2015

ASHRAE 90.1 Seminar

Double Tree Hotel

October 13, 2015

Speaker: Chris Mathis – ASHRAE 90.1 Flyover

Double Tree Hotel

November 10, 2015

Speaker: Dan O'Brien –

Halton Kitchen Equipment

Location TBD

December 2015

Christmas Social

Activity TBD

January 13, 2016

Speaker: Centralized Hot Water Heating Plants

Location TBD

January 25-27, 2016

ASHRAE Winter Conference

Orlando, FL

February 9, 2016

Speaker: David Underwood – Presidential Visit

Location TBD

March 9, 2016

Speaker: Greg Scrivener – Refrigeration

Location TBD

April 2016

Student Night

Location TBD

May 2016

Speaker: TBD

Location TBD

June 23, 2016

ASHRAE Research Golf Tournament



2015-2016 ASHRAE Regina Chapter Board of Governors

President

Dan Brothers
R.J. England Consulting
president@ashraeregina.org

Past President & Research Promotion

Janel Walter
HDA Engineering Ltd.
researchpromotion@ashraeregina.org

President Elect & Programs Chair

Jared Larson
MacPherson Engineering Inc.
cttc@ashraeregina.org

Membership Promotion

Jason Danyliw
H.V.A.C. Sales Ltd.
membership@ashraeregina.org

Secretary

Kris Pockett
Kris Pockett Construction
secretary@ashraeregina.org

Student Activities

Brandon Ganne
MacPherson Engineering Inc.
studentactivities@ashraeregina.org

Treasurer

Brad Huber
Cypress Sales Partnership
treasurer@ashraeregina.org

Ways & Means

Wayne Tkach
MacPherson Engineering Inc.
waysandmeans@ashraeregina.org

Historian

Bob England
R J England Consulting Ltd.
historian@ashraeregina.org

GGAC

TBD

Newsletter

Josh Thomas
Cypress Sales Partnership
newsletter@ashraeregina.org

YEA Chair

Natasha Bellows
WSP Canada Inc.
yea@ashraeregina.org

Contact us at:

ashraeregina@gmail.com

Visit us at:

<http://regina.ashraechapters.org/>

2015-2016 ASHRAE Society Executive

President

David Underwood
Oakville, ON

President-Elect

Timothy Wentz
Lincoln, NE

Treasurer

Bjarne Olesen
Kongens Lyngby, Denmark

Vice President

Walid Chakroun
Safat, Kuwait

Vice President

Patricia Graef
Fort Myers, FL

Vice President

Charles Gullledge III
Greensboro, NC

Vice President

James Vallort
Chicago, IL

Secretary

Jeff Littleton
Atlanta, GA

2015-2016 ASHRAE Regional Executive

Director & Regional Chair

Keith Yelton
Portland, OR

Assistant Regional Chair

Kevin Marple
Beaverton, OR

Regional Members Council Representative

Russ Lavitt
Winnipeg, MD

Chapter Technology Transfer

Heric Holmes
Regina, SK

Nominating Committee Member

Eileen Jensen
Portland, OR

Student Activities

Michael Nafzgar
Spokane, WA

Nominating Committee Alternate

Rob Craddock
Regina, SK

Treasurer

Tom Jacknisky
Edmond, AB

CRC Chair

Ryan MacGillivray
Saskatoon, SK

RP PVC

Ruth Armstrong
Eagle River, AK

GGAC RVC

Jeff Hurd
Anchorage, AK

Regional Historian

Doug LeCren
Anchorage, AK

Membership Promotion RVC

Bruce Dobbs
Portland, OR

YEA Regional Chair

Gregory Jernstrom
Anchorage, AK